

HYDRAULIC VERTICAL FOLDING BOOM

I-7S

gaysa 



TECHNICAL CHARACTERISTICS

Available models: 18, 21 and 24 meters

Arms inclined at 6° in transport position

First joint perpendicular to the direction of travel, with anti-tilt system

Tip and first arm open vertically, all other arms open horizontally

Exclusive hydraulic slope corrector that does not override the self-levelling system

Hydraulic locking

Variable geometry

Mechanical slope corrector

Elastic tip protection (front-rear)

7 folding sections (18Mtrs)

9 folding sections (21-24Mtrs)

Electrical control box for hydraulic functions

Integral mechanical protection

Adjustable rear fender

Stainless steel nozzle holder tubes

Triple nozzle holder at 50cms.

Reinforced steel structure and aluminum tips

Oven polymerized paint

Support for light kit and registration plaque

BARRA HIDRAULICA i7_S

7/9 TRAMOS
5/7/8 VIAS DE AGUA



DIMENSIONES * MASAS


	Nº tramos	L	W	H	Kg
18 mts	7	910	2400	2790	700
21 mts	9	1050	2400	2790*	830
24 mts	9	1050	2400	2990	850

* En opción 2990



COBERTURAS

24 mts



21 mts



18 mts

